



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	813584	emitter or transmitter or jam or jammer or jamming	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 06:52
L2	2682676	detect or detecting or detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 06:52
L3	63366	dwell	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 06:52
L4	1365	revisit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 06:52
L5	3109	1 and 2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 06:54
L6	27	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 06:55
L7	1772	((342/13) or (342/14) or (342/15) or (342/89) or (342/90) or (342/98) or (342/99) or (342/195)).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/13 06:57

## SEARCH NOTES FOR EAST AND IEEE

SERIAL NUMBER 10675540

EAST: search history attached

Search terms: (emitter <or> transmitter) <and> (jam <or> jamming <or> jammer)

### **32 Microwave emitter position location: present and future**

*Paradowski, L.R.;*

Microwaves and Radar, 1998. MIKON '98., 12th International Conference on

, Volume: 4 , 20-22 May 1998

Pages:97 - 116 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(960 KB\)\]](#) [IEEE CNF](#)

---

### **47 On a follower tone-jammer countermeasure technique**

*Hassan, A.A.; Hershey, J.E.; Schroeder, J.E.;*

Communications, IEEE Transactions on , Volume: 43 , Issue: 234 , Feb./March/April

1995

Pages:754 - 756